

# SŁUPY PROWADZĄCE

GUIDE PILLARS

# COOM

Materiał / Material

1.7131


Twardość / Hardness

61 + 63 HRC

Jak zamówić / How to order

Symbol: C00M143625

Inne wymiary na żądanie  
Other dimensions on demand



Elementy prowadzące do form wtryskowych

Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X
C00M141735	14	C00M151735	15	17	35	20	25	6	9
C00M141755		55							
C00M141775		75							
C00M141795		95							
C00M142225	14	C00M152225	15	22	25	20	25	6	9
C00M142235		35							
C00M142255		55							
C00M142275		75							
C00M142295	14	C00M152295	15	27	95	20	25	6	9
C00M1422115		115							
C00M1422135		135							
C00M142725		155							
C00M142735	14	C00M152725	15	27	25	20	25	6	9
C00M142755		35							
C00M142775		55							
C00M142795		75							
C00M1427115	14	C00M1527115	15	36	95	20	25	6	9
C00M1427135		115							
C00M1427155		135							
C00M143625		155							
C00M143635	14	C00M153625	15	36	25	20	25	6	9
C00M143655		35							
C00M143675		55							
C00M143695		75							
C00M1436115	14	C00M153695	15	46	95	20	25	6	9
C00M1436135		115							
C00M1436155		135							
C00M144635		155							
C00M144655	14	C00M154635	15	56	35	20	25	6	9
C00M144675		55							
C00M144695		75							
C00M1446115		95							
C00M1446135	14	C00M1546115	15	66	115	20	25	6	9
C00M145635		135							
C00M145655		155							
C00M145675		35							
C00M145695	14	C00M155635	15	66	55	20	25	6	9
C00M1456115		75							
C00M1456135		95							
C00M146635		115							
C00M146655	14	C00M1556135	15	66	135	20	25	6	9
C00M146675		155							
C00M146695		35							
C00M1466115		55							
C00M146635	14	C00M156635	15	66	75	20	25	6	9
C00M146655		95							
C00M146675		115							
C00M146695		135							
C00M1466115	14	C00M1566115	15	66	155	20	25	6	9
C00M146635		35							
C00M146655		55							
C00M146675		75							
C00M146695	14	C00M156695	15	66	95	20	25	6	9
C00M1466115		115							

Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X
C00M147655	14	C00M157655	15	76	55	20	25	6	9
C00M147675		C00M157675			75				
C00M147695		C00M157695			95				
C00M148655	14	C00M158655	15	86	55	20	25	6	9
C00M148675		C00M158675			75				
C00M148695		C00M158695			95				
C00M149655	14	C00M159655	15	96	55	20	25	6	9
C00M149675		C00M159675			75				
C00M149695		C00M159695			95				
C00M181735	18	C00M201735	20	17	35	26	31	6	9
C00M181755		C00M201755			55				
C00M181775		C00M201775			75				
C00M181795		C00M201795			95				
C00M1817115		C00M2017115			115				
C00M182235	18	C00M202235	20	22	35	26	31	6	9
C00M182255		C00M202255			55				
C00M182275		C00M202275			75				
C00M182295		C00M202295			95				
C00M1822115		C00M2022115			115				
C00M1822135	18	C00M2022135	20	27	135	26	31	6	9
C00M182735		C00M202735			35				
C00M182755		C00M202755			55				
C00M182775		C00M202775			75				
C00M182795		C00M202795			95				
C00M1827115		C00M2027115			115				
C00M1827135		C00M2027135			135				
C00M1827155		C00M2027155			155				
C00M1827195		C00M2027195			195				
C00M1827235		C00M2027235			235				
C00M183635	18	C00M203635	20	36	35	26	31	6	9
C00M183655		C00M203655			55				
C00M183675		C00M203675			75				
C00M183695		C00M203695			95				
C00M1836115		C00M2036115			115				
C00M1836135		C00M2036135			135				
C00M1836155		C00M2036155			155				
C00M1836195		C00M2036195			195				
C00M1836235		C00M2036235			235				
C00M184635		18			C00M204635				
C00M184655	C00M204655		55						
C00M184675	C00M204675		75						
C00M184695	C00M204695		95						
C00M1846115	C00M2046115		115						
C00M1846135	C00M2046135		135						
C00M1846155	C00M2046155		155						
C00M1846195	C00M2046195		195						
C00M1846235	C00M2046235		235						
C00M185635	18		C00M205635	20	56	35	26	31	6
C00M185655		C00M205655	55						
C00M185675		C00M205675	75						
C00M185695		C00M205695	95						
C00M1856115		C00M2056115	115						
C00M1856135		C00M2056135	135						
C00M1856155		C00M2056155	155						
C00M1856195		C00M2056195	195						
C00M186635	18	C00M206635	20	66	35	26	31	6	9
C00M186655		C00M206655			55				
C00M186675		C00M206675			75				
C00M186695		C00M206695			95				
C00M1866115		C00M2066115			115				
C00M1866135		C00M2066135			135				
C00M1866155		C00M2066155			155				
C00M1866195		C00M2066195			195				

Elementy prowadzące do form wtryskowych

# SŁUPY PROWADZĄCE

GUIDE PILLARS

# COOM

Materiał / Material

1.7131


Twardość / Hardness

61 + 63 HRC

Jak zamówić / How to order

Symbol: C00M22235

Inne wymiary na żądanie  
Other dimensions on demand



Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X							
C00M187655	18	C00M207655	20	76	55	26	31	6	9							
C00M187675		C00M207675			75											
C00M187695		C00M207695			95											
C00M1876115		C00M2076115			115											
C00M1876135		C00M2076135			135											
C00M1876155		C00M2076155			155											
C00M1876195		C00M2076195			195											
C00M188655		18			C00M208655					20	86	55	26	31	6	9
C00M188675	C00M208675		75													
C00M188695	C00M208695		95													
C00M1886115	C00M2086115		115													
C00M1886135	C00M2086135		135													
C00M1886155	C00M2086155		155													
C00M1886195	C00M2086195		195													
C00M189655	18		C00M209655	20	96	55	26	31	6			9				
C00M189675		C00M209675	75													
C00M189695		C00M209695	95													
C00M1896115		C00M2096115	115													
C00M1896135		C00M2096135	135													
C00M1896155		C00M2096155	155													
C00M1896195		C00M2096195	195													
C00M1811675		18	C00M2011675			20				116	75		26	31	6	9
C00M1811695	C00M2011695		95													
C00M18116115	C00M20116115		115													
C00M1813675	C00M2013675		75													
C00M1813695	18	C00M2013695	20	136	95	26	31	6	9							
C00M18136115		C00M20136115			115											
C00M22235		C00M24235			35											
C00M22255	22	C00M24255	24	22	55	30	35	6	9							
C00M22275		C00M24275			75											
C00M22295		C00M24295			95											
C00M222115		C00M242115			115											
C00M222135		C00M242135			135											
C00M222735		22			C00M242735					24	27	35	30	35	6	9
C00M222755					C00M242755							55				
C00M222775					C00M242775							75				
C00M222795	C00M242795		95													
C00M2227115	C00M2427115		115													
C00M2227155	C00M2427155		155													
C00M2227195	C00M2427195		195													
C00M2227235	C00M2427235		235													
C00M2227275	C00M2427275	275														

Elementy prowadzące do form wtryskowych

Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X							
C00M223635	22	C00M243635	24	36	35	30	35	6	9							
C00M223655		C00M243655			55											
C00M223675		C00M243675			75											
C00M223695		C00M243695			95											
C00M2236115		C00M2436115			115											
C00M2236155		C00M2436155			155											
C00M2236195		C00M2436195			195											
C00M2236235		C00M2436235			235											
C00M2236275		C00M2436275			275											
C00M224635	22	C00M244635	24	46	35	30	35	6	9							
C00M224655		C00M244655			55											
C00M224675		C00M244675			75											
C00M224695		C00M244695			95											
C00M2246115		C00M2446115			115											
C00M2246155		C00M2446155			155											
C00M2246195		C00M2446195			195											
C00M2246235		C00M2446235			235											
C00M225635		22			C00M245635					24	56	35	30	35	6	9
C00M225655	C00M245655		55													
C00M225675	C00M245675		75													
C00M225695	C00M245695		95													
C00M2256115	C00M2456115		115													
C00M2256155	C00M2456155		155													
C00M2256195	C00M2456195		195													
C00M226655	22		C00M246655	24	66	55	30	35	6			9				
C00M226675			C00M246675			75										
C00M226695		C00M246695	95													
C00M2266115		C00M2466115	115													
C00M2266155		C00M2466155	155													
C00M2266195		C00M2466195	195													
C00M227655		22	C00M247655			24				76	55		30	35	6	9
C00M227675			C00M247675								75					
C00M227695			C00M247695								95					
C00M2276115	C00M2476115		115													
C00M2276135	C00M2476135		135													
C00M2276155	C00M2476155		155													
C00M2276195	C00M2476195		195													
C00M228655	22		C00M248655	24	86		55	30	35		6	9				
C00M228675			C00M248675				75									
C00M228695		C00M248695	95													
C00M2286115		C00M2486115	115													
C00M2286135		C00M2486135	135													
C00M2286155		C00M2486155	155													
C00M2286195		C00M2486195	195													
C00M2286235		C00M2486235	235													
C00M229675		22	C00M249675			24	96			75			30	35	6	9
C00M229695	C00M249695		95													
C00M2296115	C00M2496115		115													
C00M2296135	C00M2496135		135													
C00M2296155	C00M2496155		155													
C00M2296195	C00M2496195		195													
C00M2296235	C00M2496235		235													
C00M2211675	22		C00M2411675	24	116			75	30	35	6	9				
C00M2211695			C00M2411695					95								
C00M22116115		C00M24116115	115													
C00M22116135		C00M24116135	135													
C00M22116155		C00M24116155	155													
C00M22116195		C00M24116195	195													
C00M22116235		C00M24116235	235													
C00M2213695		22	C00M2413695			24	136	95					30	35	6	9
C00M22136115			C00M24136115					115								
C00M22136155	C00M24136155		155													
C00M22156115	22	C00M24156115	24	156	115	30	35	6	9							
C00M22156155		C00M24156155			155											

Elementy prowadzące do form wtryskowych

# SŁUPY PROWADZĄCE

GUIDE PILLARS

# COOM

Materiał / Material

1.7131


Twardość / Hardness

61 + 63 HRC

Jak zamówić / How to order

Symbol: C00M306655

Inne wymiary na żądanie  
Other dimensions on demand



Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X					
C00M302755	30	C00M322755	32	27	55	42	47	6	9					
C00M302775		C00M322775			75									
C00M302795		C00M322795			95									
C00M3027115		C00M3227115			115									
C00M3027155		C00M3227155			155									
C00M3027195		C00M3227195			195									
C00M3027235		C00M3227235			235									
C00M3027275		C00M3227275			275									
C00M303655		C00M323655			55					36	42	47	6	9
C00M303675		C00M323675			75									
C00M303695	C00M323695	95												
C00M3036115	C00M3236115	115												
C00M3036155	C00M3236155	155												
C00M3036195	C00M3236195	195												
C00M3036235	C00M3236235	235												
C00M3036275	C00M3236275	275												
C00M304655	C00M324655	55	46	42	47	6	9							
C00M304675	C00M324675	75												
C00M304695	C00M324695	95												
C00M3046115	C00M3246115	115												
C00M3046155	C00M3246155	155												
C00M3046195	C00M3246195	195												
C00M3046235	C00M3246235	235												
C00M3046275	C00M3246275	275												
C00M305655	C00M325655	55						56	42	47	6	9		
C00M305675	C00M325675	75												
C00M305695	C00M325695	95												
C00M3056115	C00M3256115	115												
C00M3056155	C00M3256155	155												
C00M3056195	C00M3256195	195												
C00M3056235	C00M3256235	235												
C00M3056275	C00M3256275	275												
C00M306655	C00M326655	55	66	42	47	6	9							
C00M306675	C00M326675	75												
C00M306695	C00M326695	95												
C00M3066115	C00M3266115	115												
C00M3066155	C00M3266155	155												
C00M3066195	C00M3266195	195												
C00M3066235	C00M3266235	235												
C00M3066275	C00M3266275	275												
C00M307655	C00M327655	55						76	42	47	6	9		
C00M307675	C00M327675	75												
C00M307695	C00M327695	95												
C00M3076115	C00M3276115	115												
C00M3076155	C00M3276155	155												
C00M3076195	C00M3276195	195												
C00M3076235	C00M3276235	235												

Elementy prowadzące do form wtryskowych

Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X							
C00M308655	30	C00M328655	32	86	55	42	47	6	9							
C00M308675		C00M328675			75											
C00M308695		C00M328695			95											
C00M3086115		C00M3286115			115											
C00M3086155		C00M3286155			155											
C00M3086195		C00M3286195			195											
C00M3086235	30	C00M3286235	32	96	235	42	47	6	9							
C00M309675		C00M329675			75											
C00M309695		C00M329695			95											
C00M3096115		C00M3296115			115											
C00M3096155		C00M3296155			155											
C00M3096195		C00M3296195			195											
C00M3011675	30	C00M3211675	32	116	75	42	47	6	9							
C00M3011695		C00M3211695			95											
C00M30116115		C00M32116115			115											
C00M30116155		C00M32116155			155											
C00M30116195		C00M32116195			195											
C00M3013695		C00M3213695			95											
C00M30136115	30	C00M32136115	32	136	115	42	47	6	9							
C00M30136155		C00M32136155			155											
C00M30136195		C00M32136195			195											
C00M3015695		C00M3215695			95											
C00M30156115		C00M32156115			115											
C00M30156155		C00M32156155			155											
C00M30176115	30	C00M32176115	32	176	115	42	47	6	9							
C00M30176155		C00M32176155			155											
C00M30176195		C00M32176195			195											
C00M30196115		C00M32196115			115											
C00M30196155		C00M32196155			155											
C00M30196195		C00M32196195			195											
C00M403675	40	C00M423675	42	36	75	54	59	10	12							
C00M403695		C00M423695			95											
C00M4036115		C00M4236115			115											
C00M4036155		C00M4236155			155											
C00M404675		40			C00M424675					42	46	75	54	59	10	12
C00M404695					C00M424695							95				
C00M4046115	C00M4246115		115													
C00M4046155	C00M4246155		155													
C00M405675	40		C00M425675	42	56	75	54	59	10			12				
C00M405695			C00M425695			95										
C00M4056115		C00M4256115	115													
C00M4056155		C00M4256155	155													
C00M4056195		C00M4256195	195													
C00M406675		40	C00M426675			42				66	75		54	59	10	12
C00M406695	C00M426695		95													
C00M4066115	C00M4266115		115													
C00M4066155	C00M4266155		155													
C00M407675	40		C00M427675	42	76		75	54	59		10	12				
C00M407695			C00M427695				95									
C00M4076115		C00M4276115	115													
C00M4076155		C00M4276155	155													
C00M408675		40	C00M428675			42	86			75			54	59	10	12
C00M408695			C00M428695							95						
C00M4086115	C00M4286115		115													
C00M4086155	C00M4286155		155													
C00M409675	40		C00M429675	42	96			75	54	59	10	12				
C00M409695			C00M429695					95								
C00M4096115		C00M4296115	115													
C00M4096155		C00M4296155	155													
C00M4096195		C00M4296195	195													
C00M4011675		40	C00M4211675			42	116	75					54	59	10	12
C00M4011695	C00M4211695		95													
C00M40116115	C00M42116115		115													
C00M40116155	C00M42116155		155													
C00M40116195	C00M42116195		195													

Elementy prowadzące do form wtryskowych

# SŁUPY PROWADZĄCE

GUIDE PILLARS

# COOM

Materiał / Material

1.7131


Twardość / Hardness

61 + 63 HRC

Jak zamówić / How to order

Symbol: C00M40176115

Inne wymiary na żądanie  
Other dimensions on demand



Symbol	D1	Symbol	D1	L1	L2	D2	D3	K	X
C00M4013695	40	C00M4213695	42	136	95	54	59	10	12
C00M40136115		C00M42136115			115				
C00M40136155		C00M42136155			155				
C00M40136195	40	C00M42136195	42	156	195	54	59	10	12
C00M40156115		C00M42156115			115				
C00M40156155		C00M42156155			155				
C00M40156195	40	C00M42156195	42	176	195	54	59	10	12
C00M40176115		C00M42176115			115				
C00M40176155		C00M42176155			155				
C00M40176195	40	C00M42176195	42	196	195	54	59	10	12
C00M40176235		C00M42176235			235				
C00M40196115		C00M42196115			115				
C00M40196155	40	C00M42196155	42	216	155	54	59	10	12
C00M40196195		C00M42196195			195				
C00M40196235		C00M42196235			235				
C00M40216195	40	C00M42216195	42	246	195	54	59	10	12
C00M40216215		C00M42216215			215				
C00M40246215		C00M42246215			215				
C00M40246245	40	C00M42246245	42	246	245	54	59	10	12

Elementy prowadzące do form wtryskowych